



SOUTHINDIA TILES

CATALOGUE



FLEXIBLE TILES

Gone are the days when tiles were made of superficial and hard materials. We bring to you an array of flexible tiles that are made of soft clay materials, giving it the most earthy and natural texture and aura. It is not only light weight but also anti-bending and crack-free, keeping your floors flawless for the longest time. This unique, quintessential and unconventional range of tiles are made of raw materials that ensure quality and perfection. The range includes travertine slate, marble, granite and much more.


Our flexible body tiles are ideal for interior and exterior, enabling you to revamp your style, inside out!



The image features a full-page background of a light beige marble with prominent, dark brown and grey veins running diagonally. A thin black rectangular border is centered on the page, enclosing a portion of the marble pattern. A white rectangular box is positioned on the left side, partially overlapping the black border.

1200
X1800**MM**

CRAFT



CRAFT CONCRETE BROWN

▼
9MM
▲

CRAFT
1200X1800MM



CRAFT CORSICA BOTTOCHINO

▼
9MM
▲

CRAFT
1200X1800MM




CRAFT BENZEEN GRAY

▼
9MM
▲

CRAFT
1200X1800MM





CRAFT CONCRETE GRAY

▼
9MM
▲

CRAFT
1200X1800MM



CRAFT IMPERIAL BIANCO

▼
9MM
▲

CRAFT
1200X1800MM



CRAFT TRAVERTINO ORKEY

▼
9MM
▲

CRAFT
1200X1800MM



CRAFT HARLY HARBER

▼
9MM
▲

CRAFT
1200X1800MM





CRAFT REGAL BEIGE

▼
9MM
▲


CRAFT
1200X1800MM



CRAFT TRAVERTINO SILVER

▼
9MM
▲

CRAFT
1200X1800MM



CRAFT CONCRETE BROWN

▼
9MM
▲

CRAFT
1200X1800MM



CRAFT SERPENTINE GRAY

▼
9MM
▲

CRAFT
1200X1800MM





CRAFT TECHNO GRAY

▼
9MM
▲

CRAFT
1200X1800MM

The image features a full-page background of a marble pattern with white, grey, and black veins. Two rectangular inset boxes are placed on the page: one in the upper-middle section and another in the lower-middle section. Both boxes contain a magnified view of the marble texture. A white rectangular area is positioned to the left of the lower inset box, containing technical specifications.

1200
X1800**MM**

GLOSSY



CRAZZY CARRARA

▼
9MM
▲

GLOSSY
1200X1800MM





IMPACT GRAY

▼
9MM
▲

GLOSSY

1200X1800MM / BOOKMATCH



MOULDY ONYX

▼
9MM
▲

GLOSSY
1200X1800MM






ONYX GRAY

▼
9MM
▲

GLOSSY
1200X1800MM



ONYX LIGHT

▼
9MM
▲

GLOSSY
1200X1800MM





SCREPLATO NEO

▼
9MM
▲

GLOSSY

1200X1800MM





TORCYLANO

▼
9MM
▲

GLOSSY

1200X1800MM / BOOKMATCH



TRANDY TRAVERTINO

▼
9MM
▲

GLOSSY

1200X1800MM



TRAVERTINO GRAY

▼
9MM
▲

GLOSSY

1200X1800MM







ULTIMO CARRARA

▼
9MM
▲

GLOSSY
1200X1800MM





ARMANI UMBER*

▼
9MM
▲

GLOSSY
1200X1800MM





BRECCIA SILVER

▼
9MM
▲

GLOSSY

1200X1800MM



GOLDWIN COSTA

▼
9MM
▲

GLOSSY
1200X1800MM







LYCOS BEIGE

▼
9MM
▲

GLOSSY
1200X1800MM



OTHELLO BEIGE

▼
9MM
▲

GLOSSY

1200X1800MM



PIETRA ABLONE

▼
9MM
▲

GLOSSY
1200X1800MM





ALEXA CREMA

▼
9MM
▲

GLOSSY
1200X1800MM





ALEXA GRAY

▼
9MM
▲

GLOSSY

1200X1800MM



FUSION BLUE*

▼


9MM

▲

GLOSSY

1200X1800MM





SYDNEY WHITE

▼
9MM
▲

GLOSSY

1200X1800MM



ELEGANCE BROWN*

▼
9MM
▲

GLOSSY
1200X1800MM





VOLGA CARRARA

▼
9MM
▲

GLOSSY
1200X1800MM



BOSCO GRAY

▼
9MM
▲

GLOSSY
1200X1800MM




MIAMI BEIGE

▼
9MM
▲

GLOSSY
1200X1800MM





SATVARIO CROWN

▼
9MM
▲

GLOSSY
1200X1800MM





BELGIUM BOTTOCHINO

9MM GLOSSY
1200X1800MM



BRECCIA MARINO

▼
9MM
▲

GLOSSY
1200X1800MM





GEMMA WAVE

▼
9MM
▲

GLOSSY
1200X1800MM



ULTRA SATVARIO

▼
9MM
▲

GLOSSY

1200X1800MM



GALAXY GRAY

▼
9MM
▲

GLOSSY
1200X1800MM





IRIS BEIGE

▼
9MM
▲

GLOSSY
1200X1800MM





BRECCIA SIMLESS

▼
9MM
▲

GLOSSY

1200X1800MM




BOTTOCHINO FLORITO

▼
9MM
▲

GLOSSY
1200X1800MM






PIETRA GRAY

▼
9MM
▲

GLOSSY
1200X1800MM



PIETRA BEIGE



▼
9MM
▲

GLOSSY

1200X1800MM



ANTIQUE BEIGE

▼
9MM
▲

GLOSSY
1200X1800MM





ANTIQUE GRAY


▼
9MM
▲

GLOSSY
1200X1800MM



1200
X1800**MM**

MATT



CARDIO GREY

▼
9MM
▲



MATT
1200X1800MM



CARDIO RHINO

▼
9MM
▲


MATT
1200X1800MM



CARDIO THUNDER

▼
9MM
▲

MATT
1200X1800MM



CARDIO CREMA

▼
9MM
▲

MATT
1200X1800MM



ALEXA CREMA - 72



ALEXA GRAY - 75



ANTIQUE BEIGE - 110



ANTIQUE GRAY - 112



ARMANI UMBER* - 60



BELGIUM BOTTOCHINO - 91



GEMMA WAVE - 94



GOLDWIN COSTA - 64



IMPACT GRAY - 42




IRIS BEIGE - 100



LYCOS BEIGE - 66



MIAMI BEIGE - 86



BOSCO GRAY - 84



BOTTOCHINO FLORITO - 104



BRECCIA MARINO - 92



BRECCIA SILVER - 63



BRECCIA SIMLESS - 103



CARDIO CREMA - 119



MOULDY ONYX - 44



ONYX GRAY - 46




ONYX LIGHT - 48



OTHELLO BEIGE - 69



PIETRA ABLONE - 70



PIETRA BEIGE - 109



CARDIO GREY - 116



CARDIO RHINO - 117



CARDIO THUNDER - 118



CRAFT BENZEEN GRAY - 22



CRAFT CONCRETE BROWN - 20



CRAFT CONCRETE GRAY - 24



PIETRA GRAY - 106



SATVARIO CROWN - 88



SCREPLATO NEO - 50



SYDNEY WHITE - 79



TORCYLANO - 52



TRANDY TRAVERTINO - 54



CRAFT CORSICA
BOTTOCHINO - 21



CRAFT HARLY HARBER - 28



CRAFT IMPERIAL
BIANCO - 26



CRAFT REGAL BEIGE - 30



CRAFT SERPENTINE
GRAY - 33



CRAFT TECHNO GRAY - 36



TRRAVERTINO GRAY - 56



ULTIMO CARRARA - 58



ULTRA SATVARIO - 97



VOLGA CARRARA - 82



CRAFT TRAVERTINO
ORKEY - 27



CRAFT TRAVERTINO
SILVER - 32



CRAZZY CALCUTTA - 40



ELEGANCE BROWN* - 80



FUSION BLUE* - 76



GALAXY GRAY - 98

TECHNICAL SPECIFICATION

TEST DESCRIPTION	TEST METHOD	ISO STANDARD 13006 B1a TILES	SERON VALUE
Length and width	BS EN ISO 10545-2	± 0.6%	± 0.3%
Thickness	BS EN ISO 10545-2	± 5.0%	± 3.0%
Straightness of sides	BS EN ISO 10545-2	± 0.5%	± 0.3%
Rectangularity	BS EN ISO 10545-2	± 0.6%	± 0.3%
Surface flatness	BS EN ISO 10545-2	± 0.5%	± 0.3%
Water absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.05%
Breaking strength	BS EN ISO 10545-4	≥ 1300N	≥ 1500N
Modulus of rupture	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 45N/mm ²
Resistance to deep abrasion	BS EN ISO 10545-6	≤ 175mm ³	≤ 150mm ³
Linear thermal expansion	BS EN ISO 10545-8	≤ 9 x 10 ⁻⁸ °C ⁻¹	≤ 7 x 10 ⁻⁶ °C ⁻¹
Thermal shock resistance	BS EN ISO 10545-9	No visible defect	No visible defect
Frost resistance	BS EN ISO 10545-12	Frost proof	Frost proof
Resistance to chemicals	BS EN ISO 10545-13	No visible effect	No visible effect
Resistance to stain	BS EN ISO 10545-14	Manufacturer to state class	Stains removed Min. Class 2
Colour resistance	BS EN ISO 10545-16	No damage	No damage
Colour resistance to UV Light	DIN 51094	No change in color	No change in color
Scratch hardness(MOH's Scale)	EN 101	≥ 6 MOHS	≥ 7 MOHS
Surface quality	BS EN ISO 10545-2	Min. 95%	No visible defect
Skid resistance (friction co-efficient)	BS EN ISO 10545-17	> 0.4	>0.4
Moisture Expansion	-	Nil	Nil

PACKING DETAIL

Size	Pcs / Box	Weight (Approx)	Thickness (Approx)	SQ. / Box
1200x1800	1	46 kg	9mm	23.25
1200x1200	2	60 kg	9mm	30.98
800x1600	2	53 kg	9mm	27.55
600x1200	2	29 kg	9mm	15.5
300x600	5	14 kg	9mm	9.68



SOUTHINDIA**TILES**

159/1,159/2, Bashyakaralu Road East, R.S.Puram,
Coimbatore,Tamilnadu-641002

E-mail: info@southindiatiles.com | www.southindiatiles.com

Number :+91 7066666618