




# *exterra collection*



## EXTERRA COLLECTION

→ 600x600mm → 298x600mm → 298x298mm

AN IMPECCABLE  
AND TIMELESS BEAUTY



Exterra  
COLLECTION




## SUSTAINABLE, STYLISH, AND BUILT TO SURVIVE!

Inspired by the vastness and boldness of mountains; characterized by sustainability, durability and prominence. The magnificent Exterra Collection reflects nature and its varied landscapes.

# INTRODUCTION

The ceramic industry is a wide industry with a multitude of products. In this industry, when it comes to the quality of ceramic surfaces, Icon is a leading name. We manufacture and export a variety of digital glazed vitrified tiles. These tiles are crafted to provide our customers with a high standard of living with products that are the mark of sophistication and quality.

We understand that every space is different and therefore we have customized tiles of different sizes that are suitable to fit every space. Now, you don't have to compromise about your design style and can give your space the perfect ambiance that you always desired with Icon.





GIVING YOUR SPACE  
A NEW STRENGTH & STYLE

# DISTINGUISHED PROPERTIES

## DYNAMIC SIZES FOR DIVERSE SPACES

The Exterra Collection offers an outstanding range of tiles that comes in sizes of 600x600mm, 298x600mm, and 298x298mm. The diverse and versatile sizes offer wider application possibilities to your spaces with different tiling needs.



### Features

- Outdoor Tile
- Wall & Floor Tile
- Frost Resistant
- Easy to Clean
- Accesible and Reusable
- Slip Resistant
- Easy Tiling
- Break Resistance
- Colour Fast
- Chemical and Stain Resistant
- Thickness



The subtle earthy tone of the structured surface gives distinctive spaces an aesthetic look and serene ambiance.




The Exterra Collection has an excellent range of dynamic sizes and functional features that promises reliability and robustness in heavy footfall areas. The finish, high-quality raw material and robustly built 12mm thickness exuberates features like resistance from frost, slip, break, chemical, stain and many more.

# WIDE APPLICATION SOLUTIONS

## INTENDED USES


The Exterra Collection has versatile applications with easy installation options. The wide range of applicability of the tiles includes usage in gardens, pathways, patios, porch areas, industrial areas, terraces, mall areas, parking lots, and more. The collection gives your spaces superior strength paired with elegant aesthetics.




TERRACES




GARDENS AND  
PUBLIC AREAS




PARKING  
LOTS



MALL  
AREAS



URBAN  
AREA



SEASIDE  
RESORTS




INDUSTRIAL  
AREAS



SIDEWALKS AND  
PEDESTRIAN AREAS

12mm  
Thickness



Mandatory 4mm Spacer (Grout)




# EXCEPTIONAL CHARACTERISTICS

The exclusivity in design, exquisiteness in the finish and excellent features define the Exterra Collection. The collection is made for spaces that are subjected to high wear and tear. The high-quality feature of tiles adds modern aesthetics and unmatched strength to spaces.

**Exterra**  
COLLECTION




## WEATHER RESISTANCE



Highly moisture-resistant to withstand weather extremities.

## EXTREMELY DURABLE




The durability and endurance make these tiles suitable for heavy footfall areas.

## VERSATILITY



The tiles can be used on a wide number of exterior and interior spaces depicting their versatile function.

## EASY TO CLEAN



An exceptional feature of outdoor tiles as they require low-cost maintenance, making them the preferred choice.

## ALTROZ BIANCO


A new avant-garde shade that is conventional and matches the contemporary mood of your spaces as well. The minimalist yet eye-twirling tone gives your abode a delightful expression. The impeccable combination of timeless beauty and warmth is beautifully molded into a dynamic color.



## ALTROZ SERIES

The tone of delight is driven by the brilliance of the terrain in the six verdant shades. They are tailor-made for spaces showcasing fine craftsmanship. One can surely feel the abstract motive behind the richness of the enigmatic colors.

### 5 Shades Of Altroz Series



#### Available Sizes



600x  
600mm




298x  
600mm




298x  
298mm



12mm  
Thickness




Mandatory 4mm  
Spacer (Grout)



ALTROZ BIANCO



ALTROZ NERO



ALTROZ TURQUOISE



600x600mm R - 12



298x600mm R - 24



298x298mm R - 48

DECOR



298x298mm R - 16





ALTROZ OCRA



600x600mm



R - 12

298x600mm

R - 24



298x298mm

R - 48



298x298mm

R - 16

DECOR

ALTROZ TERRA



600x600mm

R - 12



298x600mm

R - 24



298x298mm

R - 48



298x298mm

R - 16

DECOR



CHROME VOLCANO MOTIF



600x600mm



## VOLTERRA VOLCANO

Achieve a verve of finesse in the iridescent shade that creates synergy between dynamism & aesthetics. It ideally evokes a sense of naturalness which is balanced unobtrusively by refined brilliance.




## VOLTERRA SERIES

The purity of the series is reflected in innovative texture with a strong expressive character, offering a new definition of everyday spaces. The shade is tailor-made with a montage of superior finish and intrinsic details.

### 1 Shade Of Volterra Series



#### Available Sizes



600x  
600mm




298x  
600mm



298x  
298mm



12mm  
Thickness



Mandatory 4mm  
Spacer (Grout)

VOLTERRA VOLCANO



600x600mm

R - 04



298x600mm

R - 08



298x298mm R - 16

DECOR



298x298mm R - 16



## CANYON GRIS

The neoteric and verdant shade ideally describe that sophistication is the ultimate simplicity. One can surely seek down to the finest details embossed in an eclectic tone. The highlight of the color lies in its perfection and iridescent outlook.



## CANYON SERIES

Brace yourself for an eye-twirling series that comes in four verdant textures bringing the charm to your space. Embellish your surface with effervescent shades that glorify style, finishes and formats in equal measure.

### 2 Shades Of Canyon Series



#### Available Sizes



600x  
600mm



298x  
600mm



298x  
298mm



12mm  
Thickness



Mandatory 4mm  
Spacer (Grout)


CANYON GRIS



600x600mm      R - 08    298x600mm    R - 16    298x298mm    R - 32




CANYON NERO



600x600mm      R - 08    298x600mm    R - 16    298x298mm    R - 32

## FLINT NATURAL

Discover a sophisticated shade that adds a bold statement to your expanse. The luxury, elegance, and enticing comfort can be surely seen in the splendid tone. It further integrally accentuates the finest details while maintaining the unmatched brilliance in your space.



## FLINT SERIES

Witness the aura of tranquility surrounding your space in a beautiful series emboldened with divine shade. It adds polished and mesmerizing details to your abode that never go out of fashion.

### 1 Shade Of Flint Series



#### Available Sizes



600x  
600mm



298x  
600mm



298x  
298mm



12mm  
Thickness



Mandatory 4mm  
Spacer (Grout)

FLINT NATURAL



600x600mm

R - 10



298x600mm

R - 20



298x298mm R - 40



## EVOQUE NATURAL


Feel the fervor of the shade which generates a new horizon and discreetly defines abstract motive. Ground-breaking aesthetics always set trends while matching today's contemporary lifestyle. The superior finesse is enough to highlight the spectacular details.



## EVOQUE SERIES

Immerse yourself into the divine series that comes in splendid trivial shades. Embrace the beauty and smooth textures in your space with the tailor-made series in the most elegant way.

### 2 Shades Of Evoque Series



#### Available Sizes



600x  
600mm



298x  
600mm



298x  
298mm



12mm  
Thickness



Mandatory 4mm  
Spacer (Grout)



EVOQUE GRIS



600x600mm



R - 04

298x600mm

R - 08



298x298mm

R - 16

DECOR



298x298mm

R - 16

EVOQUE NATURAL



600x600mm

R - 04



298x600mm

R - 08



298x298mm

R - 16

DECOR



298x298mm

R - 16



## CANOSSA BROWN

Bring into your space an evocative shade and expressive character. The shade reevaluates modern aesthetics in your abode and gently draws attention toward surfaces. It further elevates the undying aura with a tint of brilliance and magnificent charm.




## CANOSSA SERIES

Seek innovative perspectives in an eclectic series that dominates perfection and perseverance in one dynamic shade. It not only creates harmony in depth but also combines beauty with sheer simplicity.

### 1 Shade Of Canossa Series



#### Available Sizes



600x  
600mm



298x  
600mm



298x  
298mm



12mm  
Thickness



Mandatory 4mm  
Spacer (Grout)



CANOSSA BROWN



600x600mm



R - 04



298x600mm

R - 08

DECOR



298x298mm

R - 16

298x298mm

R - 16


TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIa	MEAN VALUE OF EXTERRA	Method of Testing
REGULATORY PROPERTIES			
Deviation in length & width	± 0.5 %	± 0.1 %	ISO-10545-2
Deviation in thickness	± 5.0 %	± 4.0 %	ISO-10545-2
Straightness in side	± 0.5 %	± 0.1 %	ISO-10545-2
Rectangularity	± 0.6 %	± 0.2 %	ISO-10545-2
Surface flatness	± 0.5 %	± 0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 4%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10-6	ISO-10545-8
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N.A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb. & Cd.	ISO-10545-15


PACKING DETAILS

Size	Thickness	No. of Tiles/Box	Coverage Area/Box		Wt. of Box (approx)
600x600mm	12mm	3 pcs	1.079 sq. mtr.	11.62 sq. ft.	28.50 kg
298x600mm	12mm	4 pcs	0.715 sq. mtr.	7.70 sq. ft.	19.00 kg
298x298mm	12mm	7 pcs	0.621 sq. mtr.	6.69 sq. ft.	16.50 kg


# SUGGESTIVE LAYING PATTERNS FOR DISTINCTIVE SPACES




600x600mm - 44% | 298x600mm - 39%  
298x298mm - 17%




600x600mm - 44% | 298x600mm - 39%  
298x298mm - 17%




600x600mm - 57% | 298x600mm - 23%  
298x298mm - 20%




600x600mm - 14% | 298x600mm - 63%  
298x298mm - 23%




600x600mm - 41% | 298x600mm - 36%  
298x298mm - 23%




600x600mm - 40% | 298x600mm - 44%  
298x298mm - 16%




600x600mm - 44% | 298x600mm - 39%  
298x298mm - 17%




600x600mm - 57% | 298x600mm - 30%  
298x298mm - 13%




600x600mm - 41% | 298x600mm - 36%  
298x298mm - 23%




600x600mm - 70% | 298x600mm - 30%




298x600mm - 76% | 298x298mm - 24%




298x600mm - 49% | 298x298mm - 51%




600x600mm - 45% | 298x600mm - 30%  
298x298mm - 25%




600x600mm - 62% | 298x600mm - 25%  
298x298mm - 13%




600x600mm - 56% | 298x600mm - 28%  
298x298mm - 16%



298x600mm - 40% | 298x298mm - 60%



298x600mm - 75% | 298x298mm - 25%



298x600mm - 78% | 298x298mm - 22%

The versatile collection allows you to achieve distinct spaces. The standard dimensions of tiles are crafted to match varied spaces and help you transform what you envisioned. The dynamism in the exclusive patterns is crafted to showcase excellence and elegance in equal measure.



SOUTHINDIATILES

159/1,159/2, Bashyakaralu Road East, R.S.Puram,  
Coimbatore,Tamilnadu-641002

E-mail: [info@southindiatiles.com](mailto:info@southindiatiles.com) | [www.southindiatiles.com](http://www.southindiatiles.com)

Number :+91 7066666618