




SOUTHINDIATILES

CATALOGUE

600x600mm



ESTER





Silky Carving Decor

Series (Fendo)

600x600mm



JASMINE




Silky Carving Decor

Series (Fendo)

600x600mm



MYRA





Silky Carving Decor Series (Fendo)

600x600mm



MAHTAB






ALFA

Series (Matt)

600x600mm



Oystar Crema




Oystar Brown




ALFA

Series (Matt)

600x600mm



Oystar Ice



Oystar Gris






ALFA

Series (Matt)

600x600mm



Polo Crema



Polo Bruno



ALFA

Series (Matt)

600x600mm




Polo Moka



ALFA

Series (Matt)

600x600mm



Polo Ice



Polo Nero






ALFA

Series (Matt)

600x600mm



Crystal White



Waterproof Tiles with Low Water Absorption



Eco Friendly & Reduces Global Warming



Earn Green Building Points



Solar Reflective Index > 81



Antiskid





Easy Maintenance

ALFA

Series (Matt)

600x600mm

Petal Gris





ALFA

Series (Matt)

600x600mm

Petal Azuvi



400x400mm [12mm]

Rusto Beige



400x400mm [12mm]

Brickesta Oxido




400x400mm [12mm]

Brickesta Cotta




400x400mm [12mm]

Polo Moka




400x400mm [12mm]

Polo Ice



400x400mm [12mm]

Polo Nero




400x400mm [12mm]

Sand Stone



400x400mm [12mm]



INFINITY BIANCO



INFINITY NERO

400x400mm [12mm]



GRIPPO VERDE

ALFA

Series (Matt)

600x1200mm

Infinity Gris [Crystal Matt Finish]



Carlos Gris Decor





ALFA


Series (Matt)

600x1200mm

Infinity Bianco [Crystal Matt Finish]



Carlos Bianco Decor





ALFA

Series (Matt)

600x1200mm

Infinity Taupe [Crystal Matt Finish]



Carlos Taupe Decor



TECHNICAL SPECIFICATIONS

Characteristics		Euro Standards En-177 Group B	Pavit Value 200x1200mm
A DIMENSIONS & SURFACE QUALITY			
1	Deviation in Length & Width	+/- 0.5%	+/- 0.4%
2	Deviation in Thickness	+/- 5%	+/- 4%
3	Straightness of Sides	+/- 0.5%	+/- 0.4%
4	Rectangularity	+/- 0.6%	+/- 0.5%
5	Surface Flatness	+/- 0.5%	+/- 0.4%
6	Surface Quality	Min 95%	Min 95%
B PHYSICAL PROPERTIES			
1	Water Absorption	3< EU	3.5 - 6%
2	Module of Rupture N/mm ²	>22	>25 N/mm ²
3	Scratch Hardness (MOHS)	MIN 5	MIN 5
4	Thermal Expansion	Max - 9 x 10 ⁻⁶ K ⁻¹	Conforms to the standards
5	Thermal Shock Resistance	Required	Conforms to the standards
6	Crazing Resistance	Required	Conforms to the standards
7	Abrasion Resistance	Required	Conforms to the standards
C CHEMICAL PROPERTIES			
1	Resistance to Staining	Min Class 2	Min Class 2
2	Resistance to House Chemicals	Min class B	Min class B
3	Resistance to Acids and Alkalies	Required	Required

Packing Details

Size	Pcs. / Box	Area Covered (Approx.)	Weight per Box (Approx.)
200x1200 mm	06 Pcs.	1.44 Sq.mtr.	27.50 Kg.

Note :

- There may be difference in the colors, please see the actual tiles before placing order.
- No claims of what so ever are entertained after fixing.

 - Random  - Floor Tiles  - Punch  - Extra Durability



SOUTHINDIATILES

159/1,159/2, Bashyakaralu Road East, R.S.Puram,
Coimbatore,Tamilnadu-641002

E-mail: info@southindiatiles.com | www.southindiatiles.com

Number :+91 7066666618