



**SOUTHINDIA TILES**

**FULL BODY**

**COLLECTION**

**600X1200mm**

**9mm Thickness**



# ARCHITECTURE

## EXPERTS

We are Donato Vitritried Private Limited. Strategically located at Morbi, the ceramic hub of India, we have been offering a range of vitrified tiles in various designs, textures and styles to cater to the changing demands of our huge clientele.

The company was established with the objective of offering the best products in vitrified tiles, making their dreams come true. With years of experience in the industry, the founder members came together and established a brand, recognized today as Donato. We have highly talented and experienced professionals on board who make sure that the customers get the best products that exceed their expectations. Every team member contributes to the development process so that the products are innovative and trendy.

Donato has carved a niche for itself in the industry by staying ahead in ordering innovative products. Our objective has been to offer products that are not only beautiful in looks but are also durable and long-lasting. We take pride in our products for creating a great first impression and a better one after their application. In the coming times, we will make sure that Donato remains the leading name in quality and designs while setting new benchmarks in the industry.

### Application Area

|   |   |   |   |  |   |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Residential Spaces  | Commercial Spaces   | Malls & Restaurants   | Public Spaces   | Sport Spaces   | Schools   |
|  |  |  |  |  |  |
| Hospitals   | Outdoor   | External Wall Covering  | Bathrooms   | Kitchens   | Airports  |

### Product Advantages

|   |   |   |   |  |   |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Water Proof   | Easy to Install   | Stain Resistant   | Chemical Resistant  | Scratch Resistant  | Crazing Resistant   |
|  |  |  |  |  |  |
| Frost Resistant   | Extremely Durable   | Easy to Clean   | Luxurious Look  | Fire Resistant   | Hygienic Surface  |

600x  
1200mm  
FULL  
BODY  
VITRIFIED  
TILES

THE  
COLOR  
THAT  
REFLECTS  
YOUR  
NATURE.

9

COLORS



4

MOULD



3

FINISHED





# g

## COLORS

Rossy

Malva

Ocra

Brick

Lime

Spinch

Ocean

Cobalto

Charcoal

Move  
on  
The  
Bright

“Colours Are The Best Way To  
**Brighten** Up Any Day. They  
Aren't Just For Spring. They  
Can Bring A Bit Of **Magic** Into  
Any **Environment**”







XS  
S  
M  
L  
XL





CREST ROSSY















CREST BELEGIA ROSSY




CREST ALBA ROSSY



Application Area

- |   |  |   |  |   |   |
|---|--|---|--|---|---|
| <br>Residential Spaces | <br>Commercial Spaces | <br>Malls & Restaurants    | <br>Public Spaces | <br>Sport Spaces | <br>Schools  |
| <br>Hospitals          | <br>Outdoor           | <br>External Wall Covering | <br>Bathrooms     | <br>Kitchens     | <br>Airports |




CREST TRIGO ROSSY




CREST ELLE ROSSY








 CHROME BELEGIA ROSSY



 CHROME TRIGO ROSSY



 CHROME ALBA ROSSY



 CHROME ELLE ROSSY




Size  
**600 x  
1200 mm**

Thickness  
 **9mm**



**PREVIEW SHOWN**  
CREST ROSSY &  
CHROME ELLE ROSSY





WALLVA






CREST MALVA















CREST BELEGIA MALVA




CREST ALBA MALVA



Application Area

- |  |   |  |   |  |   |
|--|---|--|---|--|---|
| <br>Residential<br>Spaces | <br>Commercial<br>Spaces | <br>Malls &<br>Restaurants    | <br>Public<br>Spaces | <br>Sport<br>Spaces | <br>Schools  |
| <br>Hospitals             | <br>Outdoor              | <br>External<br>Wall Covering | <br>Bathrooms        | <br>Kitchens        | <br>Airports |



CREST TRIGO MALVA



CREST ELLE MALVA








CHROME BELEGIA MALVA



CHROME TRIGO MALVA




CHROME ALBA MALVA



CHROME ELLE MALVA



Size  
**600 x  
1200 mm**

Thickness  
 **9mm**



**PREVIEW SHOWN**  
ROSSY MALVA  
CREST ALBA ROSSY &  
CREST ALBA MALVA





OCCRA






CREST OCRA




CREST BELEGIA OCRA



CREST ALBA OCRA



Application Area




CREST TRIGO OCRA




CREST ELLE OCRA








 CHROME BELEGIA OCRA



 CHROME TRIGO OCRA




 CHROME ALBA OCRA



 CHROME ELLE OCRA



Size  
**600 x  
1200 mm**

Thickness  
 **9mm**



**PREVIEW SHOWN**  
CREST OCRA &  
CREST ELLE OCRA






BRICK






CREST BRICK















CREST BELEGIA BRICK




CREST ALBA BRICK



Application Area

- |   |  |   |  |   |   |
|---|--|---|--|---|---|
| <br>Residential Spaces | <br>Commercial Spaces | <br>Malls & Restaurants    | <br>Public Spaces | <br>Sport Spaces | <br>Schools  |
| <br>Hospitals          | <br>Outdoor           | <br>External Wall Covering | <br>Bathrooms     | <br>Kitchens     | <br>Airports |




CREST TRIGO BRICK




CREST ELLE BRICK









 CHROME BELEGIA BRICK



 CHROME TRIGO BRICK




 CHROME ALBA BRICK



 CHROME ELLE BRICK



Size  
**600 x  
1200 mm**

Thickness  
 **9mm**




**PREVIEW SHOWN**  
CREST BRICK &  
CREST ELLE BRICK






EMIL






CREST LIME















CREST BELEGIA LIME




CREST ALBA LIME



Application Area

- |   |  |   |  |   |   |
|---|--|---|--|---|---|
| <br>Residential Spaces | <br>Commercial Spaces | <br>Malls & Restaurants    | <br>Public Spaces | <br>Sport Spaces | <br>Schools  |
| <br>Hospitals          | <br>Outdoor           | <br>External Wall Covering | <br>Bathrooms     | <br>Kitchens     | <br>Airports |




CREST TRIGO LIME




CREST ELLE LIME








 CHROME BELEGIA LIME



 CHROME TRIGO LIME



 CHROME ALBA LIME



 CHROME ELLE LIME



Size  
**600 x  
1200 mm**

Thickness  
 **9mm**



**PREVIEW SHOWN**  
CREST LIME &  
CREST BELEGIA LIME






FOR  
NIN  
ES





CREST SPINCH















CREST BELEGIA SPINCH




CREST ALBA SPINCH



Application Area

- |   |  |   |  |   |   |
|---|--|---|--|---|---|
| <br>Residential Spaces | <br>Commercial Spaces | <br>Malls & Restaurants    | <br>Public Spaces | <br>Sport Spaces | <br>Schools  |
| <br>Hospitals          | <br>Outdoor           | <br>External Wall Covering | <br>Bathrooms     | <br>Kitchens     | <br>Airports |



CREST TRIGO SPINCH




CREST ELLE SPINCH







 CHROME BELEGIA SPINCH



 CHROME TRIGO SPINCH



 CHROME ALBA SPINCH



 CHROME ELLE SPINCH



Size  
**600 x  
1200 mm**

Thickness  
 **9mm**



**PREVIEW SHOWN**  
CREST SPINCH &  
CREST TRIGO SPINCH






ZEANCO






CREST OCEAN















CREST BELEGIA OCEAN




CREST ALBA OCEAN



Application Area

- |   |  |   |  |   |   |
|---|--|---|--|---|---|
| <br>Residential Spaces | <br>Commercial Spaces | <br>Malls & Restaurants    | <br>Public Spaces | <br>Sport Spaces | <br>Schools  |
| <br>Hospitals          | <br>Outdoor           | <br>External Wall Covering | <br>Bathrooms     | <br>Kitchens     | <br>Airports |




CREST TRIGO OCEAN




CREST ELLE OCEAN









 CHROME BELEGIA OCEAN



 CHROME TRIGO OCEAN




 CHROME ALBA OCEAN



 CHROME ELLE OCEAN



Size  
**600 x  
1200 mm**

Thickness  
 **9mm**



**PREVIEW SHOWN**  
CREST OCEAN &  
CREST ALBA OCEAN






COBBALTO






CREST COBALTO















CREST BELEGIA COBALTO




CREST ALBA COBALTO



Application Area

- |  |   |  |   |  |   |
|--|---|--|---|--|---|
| <br>Residential<br>Spaces | <br>Commercial<br>Spaces | <br>Malls &<br>Restaurants    | <br>Public<br>Spaces | <br>Sport<br>Spaces | <br>Schools  |
| <br>Hospitals             | <br>Outdoor              | <br>External<br>Wall Covering | <br>Bathrooms        | <br>Kitchens        | <br>Airports |




CREST TRIGO COBALTO




CREST ELLE COBALTO








 CHROME BELEGIA COBALTO



 CHROME TRIGO COBALTO



 CHROME ALBA COBALTO



 CHROME ELLE COBALTO



Size  
**600 x  
1200 mm**

Thickness  
 **9mm**



**PREVIEW SHOWN**  
CREST COBALTO &  
CREST BELEGIA COBALTO





CHARRCOAL





CREST CHARCOAL















CREST BELEGIA CHARCOAL




CREST ALBA CHARCOAL



Application Area

- |   |  |   |  |   |   |
|---|--|---|--|---|---|
| <br>Residential Spaces | <br>Commercial Spaces | <br>Malls & Restaurants    | <br>Public Spaces | <br>Sport Spaces | <br>Schools  |
| <br>Hospitals          | <br>Outdoor           | <br>External Wall Covering | <br>Bathrooms     | <br>Kitchens     | <br>Airports |



CREST TRIGO CHARCOAL



CREST ELLE CHARCOAL





Size  
600 x  
1200 mm

Thickness  
9mm



**PREVIEW SHOWN**  
CREST CHARCOAL &  
CREST TRIGO CHARCOAL  
CREST MALVA





TECHNICAL SPECIFICATION


| No. | TECHNICAL DETAIL            | INTERNATIONAL STD,<br>ISO 13006/EN 176, B1A | OUR VALUES             | METHOD OF TESTING |
|-----|-----------------------------|---|------------------------|-------------------|
| 1   | Deviation in Length & Width | ±0.6%                                       | ±0.1%                  | ISO 10545-2       |
| 2   | Deviation in Thickness      | ±5%   | ±2%                    | ISO 10545-2       |
| 3   | Straightness of Sides       | ±0.5%                                       | ±0.1%                  | ISO 10545-2       |
| 4   | Rectangularity              | ±0.6%                                       | ±0.1%                  | ISO 10545-2       |
| 5   | Surface Flatness            | ±0.5%                                       | ±0.1%                  | ISO 10545-2       |
| 6   | Hardness on Mohs Scale      | > 6   | > 7                    | EN 101            |
| 7   | Water Absorption            | < 0.5%                                      | < 0.05%                | ISO 10545-3       |
| 8   | Flexural Strength (Mor)     | > 35 N/m²                                   | > 40 N/m²              | ISO 10545-4       |
| 9   | Abrasion Resistance         | < 175 mm³                                   | < 145 mm³              | ISO 10545-6       |
| 10  | Skid Resistance             | > 0.4                                       | > 0.4                  | ISO 10545-17      |
| 11  | Bulk Density                | > 2   | > 2.4                  | DIN 51082         |
| 12  | Frost Resistance            | Frost Proof                                 | Frost Proof            | ISO 10545-12      |
| 13  | Chemical Resistance         | No Damage                                   | No Damage              | ISO 10545-13      |
| 14  | Thermal Shock               | No Damage                                   | No Damage              | ISO 10545-9       |
| 15  | Thermal Expansion           | < 9 x 10 <sup>-6</sup>                      | < 6 x 10 <sup>-6</sup> | ISO 10545-8       |
| 16  | Stain Resistance            | Resistant                                   | Resistant              | ISO 10545-14      |
| 17  | Moisture Expansion          | Nil   | Nil                    | ISO 10545-10      |
| 18  | Glossiness                  | Gloss Meter                                 | Min 90 Reflection      | ISO 10545-2       |
| 19  | Breaking Strength           | 1300 N                                      | 2000 N                 | ISO 10545-4       |

PACKING DETAIL


| No. | SIZE          | FINISH         | PCS / BOX | THICKNESS<br>(Approx) | Sq. Mtr. | Sq. Ft. |
|-----|---------------|----------------|-----------|-----------------------|----------|---------|
| 01  | 600 x 1200 mm | SATIN          | 2         | 9                     | 1.44     | 15.50   |
| 02  | 600 x 1200 mm | PUNCH / CHROME | 2         | 9                     | 1.44     | 15.50   |

DISCLAIMER : Company reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The Colors of tiles shown in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors and references should be verified for typographical errors.


Application Area




Residential Spaces




Commercial Spaces




Malls & Restaurants




Public Spaces




Sport Spaces




Schools




Hospitals




Outdoor




External Wall Covering



Bathrooms



Kitchens



Airports





SOUTHINDIATILES

159/1,159/2, Bashyakaralu Road East, R.S.Puram,  
Coimbatore,Tamilnadu-641002

E-mail: [info@southindiatiles.com](mailto:info@southindiatiles.com) | [www.southindiatiles.com](http://www.southindiatiles.com)

Number :+91 7066666618